

*Brief Report***Community engagement to address socio-ecological barriers to physical activity among African American breast cancer survivors**

Selina A. Smith, PhD, MDiv¹, Mary S. Whitehead, MPH, CHES², Joyce Q. Sheats, RN, MPH¹, Brittney Chubb, MPH³, Ernest Alema-Mensah, PhD, MDiv, DMin⁴, and Benjamin E. Ansa, MD, MSCR³

¹Department of Family Medicine, Medical College of Georgia, Augusta, GA; ²SISTA AH Talk Breast Cancer Support Group, Miami, FL; ³Institute of Public and Preventive Health, Augusta, GA; and ⁴Department of Community Health and Preventive Medicine, Atlanta, GA

Corresponding author: Benjamin Ansa • 1120 15th Street, CJ 2326, Augusta, GA 30912 • 706-721-6141 • bansa@augusta.edu

ABSTRACT

Background: With high rates of obesity, low levels of physical activity (PA), and lack of adherence to physical activity guidelines (PAGs) among African American (AA) breast cancer survivors (BCSs), culturally appropriate interventions that address barriers to participation in PA are needed.

Methods: To develop intervention content, members of an AA breast cancer support group participated in four 1-hour focus group discussions (related to the barriers to PA, strategies for overcoming them, and intervention content), which were audiotaped, transcribed, and analyzed.

Results: The support group collaborated with researchers to construct the Physical Activity Intervention Developed (PAID) to Prevent Breast Cancer, a multi-component (educational sessions; support group discussions; and structured, moderately intensive walking, strength training, and yoga), facilitated, 24-week program focused on reducing multi-level barriers to PA that promote benefits ('pay off') of meeting PAGs.

Conclusions: Community engagement fostered trust, promoted mutuality, built collaboration, and expanded capacity of AA BCSs to participate in developing an intervention addressing individual, interpersonal, organizational, and community barriers to PA.

Key words: Community engagement; social ecological framework; physical activity; behavior; African American; breast cancer survivor; cancer prevention guidelines

<https://doi.org/10.21633/jgpha.6.312>

INTRODUCTION

Compared to Whites, AA BCSs are less physically active and more sedentary (Behavioral Risk Factor Surveillance System, 2017), less likely to adhere to PAGs (American Cancer Society/ACS, 2017), and have larger reductions in breast cancer risk from PA (Ballard-Barbash et al., 2013). To reduce these disparities, community partnership approaches are needed to develop effective interventions.

Community engagement involves working collaboratively with groups of people affiliated by similar situations to address issues affecting their well-being (Centers for Disease Control and Prevention, 1997). In this brief report, we outline the process and results of engaging AA BCSs in developing a PA intervention.

METHODS

Participation in support groups may foster hope and offer emotional assistance, confidence, and strength, and thereby

lead to improved coping, less distress, and an enhanced quality of life (Sears et al., 2003). They may be an untapped, indigenous resource for promoting PA.

Founded in 1995, SISTA AH (Survivors Involving Supporters to Take Action in Advancing Health) Talk has a mission of providing a forum for AA women to communicate about and make sense of their breast cancer experience in order to achieve improved physical and mental health outcomes. This support group has partnered with researchers to complete studies and publish findings, including the present report.

To undergird the process of engaging SISTA AH Talk members to develop a support group-based, multi-component, community intervention addressing barriers that prevent AA BCSs from participating in PA to meet PAGs, the conceptual framework included: 1) community coalition action theory (Butterfoss, et al., 2002), which posits pooling abilities, expertise, and stakeholder resources to positively affect community health; 2) social ecological perspectives,

which influence PA barriers and behaviors across various levels (McElroy et al., 1988); and 3) science-based PAGs to prevent cancer, which may also prevent recurrence (ACS, 2017; World Cancer Research Foundation/American Institute for Cancer Research, 2007).

The Institutional Review Board of Augusta University approved this study, and participant consent was obtained prior to enrollment. SISTAAH Talk members participated in four 1-hour focus group discussions (FGDs) led by a BCS trained in qualitative assessments. Each FGD concentrated on barriers to PA and the cultural appropriateness, comprehension of health messages, length, and planned delivery format of the education and exercise sessions.

The FGDs were digitally recorded, transcribed verbatim, manually coded, and summarized. NVIVO 10 software (2015) was used to facilitate the coding process. Data were

analyzed using qualitative content analysis. Recurring themes were identified and summarized.

RESULTS

For participants (n=60; mean age 45.73 years; SD 7.91; range 35–75 years old), there were 4 FGDs, with findings organized into categories: 1) identification of barriers, 2) recommendation of strategies, and 3) selection of exercises. Identified barriers (Table 1) were classified based on a social ecological framework (Joseph et al., 2015): individual (post-treatment symptoms, fatigue, post-treatment body image, competing priorities, co-morbidity, PA perceptions); interpersonal (lack of family and social support, intimate partner concerns); organizational (PA preferences, monetary costs, cultural appropriateness); and community (facilities, weather, safety).

Table 1. FGD-identified barriers and recommended strategies

Theme	Comments	Strategies
Individual Post-treatment symptoms Tiredness/ Fatigue Post-treatment body image Co-morbidity PA perceptions	“With lymphedema and neuropathy, is it [exercise] safe?”	<ul style="list-style-type: none"> Promote discussion of post-treatment symptoms Address symptoms related to lymphedema, arthralgia, and neuropathy and exercise safety through discussion and take-home fact sheets Encourage testimonials from BCSs on dealing with treatment effects (e.g., chemotherapy, surgery, and radiation) and tiredness/fatigue
	“After radiation, I am concerned about how exercise will affect my chest”	
	“I am always tired and my energy is too low [to exercise]” “I am not about to expose myself to a bunch of skinny women...not for me”	
	“I am uncomfortable working out in public. Once I loose some weight, maybe...” “[After a double mastectomy], I am uncomfortable participating [in exercise classes]”	
	“With high blood pressure, I am not sure that I should exercise too much”	<ul style="list-style-type: none"> Include components focused on self-efficacy to engage in PA Focus on BCS-selected exercises Encourage a graded approach to PA engagement (based on stage of readiness) Engage BCSs in role playing to combat feelings related to body image and comfort in completing PAs
	“Loosing weight will help my diabetes, but I am not motivated to workout”	
	“I know its good for me, with all of my health problems, I just don’t want to do it” “I get enough exercise cleaning my house, running after my kids, and working on the job”	
	“Black women don’t workout because we worry about messing up our hair” “I am afraid that it [exercise] could make the swelling in my arm worse”	
Interpersonal Social support	“If I had someone with me, I would be more likely to get out and do something” “We need a way to encourage each other when we [SISTAAH Talk] are not together”	<ul style="list-style-type: none"> Emphasize non-weight health benefits (physical and mental health) to motivate PA engagement. Highlight improvements in cardiorespiratory fitness, muscle strength, fatigue, depression, anxiety, and overall quality of life from regular PA Discuss the benefits of PA in controlling blood glucose, blood pressure, and serum lipids (and related chronic disease indicators) Provide feedback (via accelerometers) to BCSs related to <i>actual</i> PA completed Incorporate information in sessions and distribute fact sheets to address PA misconceptions Address issues related to hair care in education and discussion sessions, and provide practical tools as an incentive for enrollment (e.g., head wraps to protect hair from sweat) Invite hair care experts to discussion sessions to promote natural hair styles
Intimate partner	“Every time I loose weight, my husband gets	

Theme	Comments	Strategies
concerns	scared...he thinks my breast cancer is back"	
Family support	"When I tell my family that I am trying to lose weight, they ask, 'why bother?'"	
Organizational PA preferences	"We need [exercise] programs that work for everyone—not a 'one-size-fits-all' approach"	<ul style="list-style-type: none"> Promote collectivism by including images of AA BCSs on all curriculum materials, including take-home fact sheets Provide child care during intervention sessions Incorporate PA in all SISTAAH Talk activities Focus on easy-to-achieve exercises Individualize approach to exercise sessions based on levels and stage of readiness for change Include PA preferred by AA BCSs
	"If it says <i>sistaah</i> , make it [the intervention] welcoming"	
Monetary costs	"Whatever we choose, make sure it does not cost too much"	
Cultural Appropriateness	"Most of us can't afford to join a gym"	
	"Design the program with 'us' in mind"	
	"Include things like gospel music or jazz"	
	"Make sure it [the intervention] looks like its made for Black women"	
Community Lack of resources	"There are no resources in my neighborhood [gym, YMCA, free exercise classes]"	<ul style="list-style-type: none"> Provide guidance to SISTAAH Talk leadership in addressing inadequate community-level resources for PA Recommend completion of PA before or after work in safe, comfortable (e.g., temperature friendly) environments, providing examples Suggest engaging in PA with family and friends Provide a list of safe, free/low cost neighborhood-specific PA resources
Safety concerns	"With no street lights where I live, its not safe to go outside at night"	
	"Even young children will point, stare, and harass me when I walk on the street"	
Weather	"Most of the year, it's way too hot to exercise outside?"	

To address PA barriers, the Physical Activity Intervention Developed (PAID) to Prevent Breast Cancer included three components:

1. Didactic Instructions with strategies to enhance PA presented by PowerPoint, printed fact sheets, and SISTAAH Talk workout videos. The education sessions (Table 2) include components of the social cognitive

theory (SCT) (Murrock et al., 2009): self-efficacy (the belief that one is capable of meeting PAGs); outcome expectations (e.g., physical, social, and self-evaluative), linked to greater adherence to PAGs, including desired physical changes (e.g., improved body weight); opportunities for socialization (e.g., social support); and self-worth (e.g., goal setting and self-monitoring).

Table 2. Theory-based content of PAID sessions

Number	Title	Content	Theoretical Component
1	What's in it for me?	Program requirements; PA and cancer prevention guidelines	Outcome expectancy; self-efficacy; self-monitoring
2	Taking control	Introduction to walking—benefits and barriers	Social support; self-monitoring
3	Keeping score	Setting Specific, Measurable, Achievable, Realistic and Timely (SMART) goals and developing action plans	Goal setting; self-efficacy; self-worth; feedback
4	Know your body	PA and breast cancer recurrence	Social support, feedback, self-monitoring
5	Stay beautiful, stay alive	Addressing negative outcome expectancy related to fatigue, physical functioning, and hair	Outcome expectancy
6	Lifestyle and breast cancer risk	Dietary intake, PA, tobacco and alcohol use, stress management	Self-efficacy; social support

Number	Title	Content	Theoretical Component
7	More <i>good</i> than harm	Challenges to PA; how to enjoy PA and improve attitude; PA safety	Methods for self-monitoring, behavioral cues, identifying and overcoming barriers; outcome expectancy
8	Keeping the faith	Maintaining walking behaviors	Self-monitoring; problem solving; stimulus control
9	Strong woman	Introduction to strength training—benefits and barriers	Self-efficacy
10	One day at a time	Balancing daily challenges with maintaining one's health	Self-efficacy; social support
11	Tricks that stick	Strategies for increasing daily physical activity	Stimulus control; problem solving
12	Woman in the mirror	Review of preference for heavier ideal weight, incorrect assessment of normal weight, and satisfaction with body size	Self-evaluation and assessment of progress toward SMART goal
13	What's love got to do with it?	Promoting self-care	Self-efficacy; self-esteem; social support
14	In my hood	Addressing safety and support; controlling the environment	Self-monitoring; problem solving; social support
15	Stay in the game	Review of PA and cancer prevention guidelines	Self-efficacy; self-monitoring; social support
16	Keeping the faith	Maintaining strength training behaviors	Self-efficacy; self-monitoring; social support
17	Mind over matter	Introduction to yoga-- benefits and barriers	Outcome expectancy; problem solving
18	Slim down	Weight control	Self-monitoring; outcome expectancy; problem solving
19	Restoration	Sleep, meditation, rest; grocery shopping tour; guided discussion	Self-efficacy; self-monitoring; social support
20	On the run	Finding everyday opportunities to increase PA	Self-efficacy; self-monitoring; social support
21	It all works together	Review of cancer prevention and lifestyle—diet, PA, stress reduction	Goal setting; problem solving; outcome expectancy
22	Get moving to better health	PA benefits for BCSs	Self-monitoring; stimulus control
23	Keeping the faith	Maintaining yoga/Pilates behaviors	Self-efficacy; self-monitoring; social support
24	Looking back and moving forward	Celebration and strategies for maintenance	Outcome expectancy; self-efficacy; self-monitoring; social support

2. Support Group Discussions to provide social support, monitor progress, and provide/receive feedback. Exchanges that occur during support group discussions will address barriers to PA. Each will consist of interactive presentations, demonstrations, and guest speakers, and will provide an open forum for sharing experiences, obtaining advice, accessing resources, and gaining support for PA.
 - Walking at various levels based on capability (power, speed interval, strength interval, walking-to-jogging, and stretching)
 - Yoga to address fatigue and poor physical functioning (physical postures, conscious breathing, and meditation)
 - Strength training using lightweight dumbbells with guidance on maintaining safety
3. Exercise Sessions with an experiential engaged approach. To achieve a program of structured, moderate-intensity PA aimed at meeting the PAGs, BCSs selected three exercises:

DISCUSSION/CONCLUSIONS

This report describes a process of developing a PA intervention for AA BCSs using a community-engaged approach. Members of a breast cancer support group, mean age 45.7 years, 1) participated in four 1-hour FGDs, with findings organized as individual, interpersonal,

organizational, and community barriers; 2) developed culturally tailored strategies (in 24 educational sessions); and 3) selected three exercises (walking, strength training, and yoga) to meet PAGs.

Since benefits of PA include lower rates of all-cause mortality, and morbidity from conditions such as breast cancer, current guidelines recommend participating in moderate PA for 150 min/week (ACS, 2017). This study reveals that barriers, including post-treatment symptoms, social support, and neighborhood safety, prevent AA BCSs from participating in PA and meeting PAGs and that many of the currently available PA interventions are ineffective and unsustainable. PA-related health disparities among AA BCSs warrant the need for innovative and culturally relevant approaches to promote PA in this population. The involvement of a breast cancer support group in the development of PAID has the potential to enhance PA among AA BCSs.

SCT states that portions of an individual's knowledge acquisition may be directly related to observing others within the context of social interactions and experiences. SISTAAH Talk exemplifies a support system for affecting the health of AA BCSs. Similar projects involving community organizations that have demonstrated appropriate design, implementation, and efficacy in promoting PA among underserved populations include the Southeast Senior Physical Activity Network (SESPAN) and the Active Aging Community Task Force (AACTF) project, (Cheadle et al. 2010). These programs incorporate means of motivating people who are inactive; creating effective, culturally relevant programs for the target population; and sustaining research-tested programs in community settings. Community engagement in developing a PA intervention will likely address physical inactivity and inequity among AA BCSs.

Acknowledgements

The National Cancer Institute (R01CA166785) and the Medical College of Georgia Foundation funded this work.

References

- American Cancer Society (ACS). Cancer Facts & Figures for African Americans 2017. Atlanta, GA: 2017.
- Ballard-Barbash R, George SM, Alfano CM, Schmitz K. Physical activity across the cancer continuum. *Oncology* 2013 Jun;27(6):589, 592.
- Behavioral Risk factor Surveillance System (BRFSS). <http://apps.nccd.cdc.gov/brfss/page.asp?yr=2010&state=All&cat=IM#IM>. Accessed January 19, 2017.
- Butterfoss, FD, DiClemente, RJ, Crosby, RA, Kegler, MC. Emerging theories in health promotion practice and research: Strategies for improving public health. San Francisco, CA: Jossey-Bass; 2002. Toward a comprehensive understanding of community coalitions: Moving from practice to theory.
- Centers for Disease Control and Prevention (CDC). Community engagement: Definitions and organizing concepts from the literature. 1997. <http://www.cdc.gov/php/pce/> Accessed January 19, 2017.
- Cheadle A, Egger R, LoGerfo JP, Walwick J, Schwartz S. A community-organizing approach to promoting physical activity in older adults: the southeast senior physical activity network. *Health Promot Pract*. 2010; 11(2):197-204.
- Joseph RP, Ainsworth BE, Keller C, Dodgson JE. Barriers to Physical Activity Among African American Women: An Integrative Review of the Literature. *Women Health*. 2015;55(6):679-99.
- McLeroy KR, Bibeau D, Steckler A, Glanz K. An ecological perspective on health promotion programs. *Health Education Quarterly*. 1988; 15(4):351-377.
- Murrock CJ, Higgins PA, Killion CK: Dance and peer support to improve diabetes outcomes in African American women. *Diabetes Educ* 2009;35(6):995-1003.
- NVIVO 10 for Windows aspx. URL: http://www.qsrinternational.com/products_nvivo.aspx, [WebCiteCache ID 6aDk3Ljxm] accessed January 19, 2017.
- Sears SR, Stanton AL, Kwan L, et al. Recruitment and retention challenges in BCShip research: results from a multisite, randomized intervention trial in women with early stage breast cancer. *Cancer Epidemiology, Biomarkers & Prevention*, Oct 2003;12(10):1087-1090.
- World Cancer Research Foundation/American Institute for Cancer Research. Food, nutrition, physical activity and the prevention of cancer: a global perspective. Washington, DC: World Cancer Research Fund; American Institute for Cancer Research; 2007.

© Selina A. Smith, Mary S. Whitehead, Joyce Q. Sheats, Brittney Chubb, Ernest Alema-Mensah, and Benjamin E. Ansa. Originally published in jGPHA (<http://www.gapha.org/jgpha/>) May 15, 2017. This is an open-access article distributed under the terms of the Creative Commons Attribution Non-Commercial No-Derivatives License (<http://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work ("first published in the Journal of the Georgia Public Health Association...") is properly cited with original URL and bibliographic citation information. The complete bibliographic information, a link to the original publication on <http://www.gapha.org/jgpha/>, as well as this copyright and license information must be included.